



# 2018 Specs & Pricing



BRAND		CAPACITY (1) Minutes			CAPACITY (2) Amp-Hours (AH)				ENERGY (kWh)	WEIGHT & DIMENSIONS				PRICE is Exchange. \$15 core charge if no exchange		
Volts	MODEL	@ 25 Amps	@ 56 Amps	@ 75 Amps	5-HR Rate	10-HR Rate	20-HR Rate	100-HR Rate	100-HR Rate	Lbs (kg)	L	W	H	ea	Set	SKU
6	T-105	447		115	185	207	225	250	1.5	62 (28)	10.3	7.11	11.15	\$199	6 \$1,194	1151105
6	T-605	383		105	175	193	210	232	1.39	58 (26)	10.3	7.13	11.15	\$179	6 \$1,074	1151106
6	GC-225	383		105						62	10.38	7.13	10.98	\$170	6 \$1,020	1151206
8	T-875	295	117		145	155	170	189	1.51	63 (29)	10.24	7.06	11.13	\$205	6 \$1,230	1151108
8	GC-8	295	117							63	10.25	7.06	11.38	\$185	6 \$1,110	1151208
12	T-1275	280	102	70	120	134	150	166	1.99	85 (39)	13.0	7.13	11.13	\$279	4 \$1,116	1151112
12	GC-12	280	102							82	13.0	7.06	11.13	\$260	4 \$1,040	1151212

**INSTALLATION \$8 per Battery; NEW CABLES installed n/c**

**Terminal Protective Spray 3/4 oz \$4.99**

(1) The number of minutes a battery can deliver when discharged at a constant rate at 80°F (27°C) and maintain a voltage above 1.75 V/cell. Capacities are based on peak performance.

(2) The amount of amp-hours (AH) a battery can deliver when discharged at a constant rate at 80°F (27°C) for the 20-Hour and 86°F (30°C) for the 5-Hour rate and maintain a voltage above 1.75 V/cell. Capacities are based on peak performance.